

SECTION 1: Identification

ALUMINUM FORMATE, trihydrate Safety Data Sheet CXAL045 Date of issue: 09/14/2016 Version: 1.0

1.1. Product identifier			
Product name	: ALUMINUM FORMATE, trihydrate		
Product code	: CXAL045		
Product form	: Substance		
Physical state	: Solid		
Formula	: C3H3AIO6·3H2O		
Synonyms	: FORMIC ACID, ALUMINUM SALT ALUMINUM TRIFORMATE, trihydrate		
Chemical family	: METAL COMPOUND		
1.2. Recommended use of the chemical			
Recommended use	: Chemical intermediate For research and industrial use only		
1.3. Details of the supplier of the safety	data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or r	nixture		
GHS-US classification			
Skin corrosion/irritation Category 2	H315		
Serious eye damage/eye irritation Category 2A	H319		
Full text of H statements : see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation		
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P264 - Wash hands thoroughly after handling P302 + P352 - If on skin: Wash with plenty of soap and water P332 + P313 - If skin irritation occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P321 - Specific treatment (see first aid instructions on this label) P362 + P364 - Take off contaminated clothing and wash it before reuse 		
2.3. Hazards not otherwise classified (H	INOC)		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
No data available			
SECTION 3: Composition/Informatio	on on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Print date: 09/14/2016	EN (English US) SDS ID: CXAL045 Page 1		
1 1111 Gate. 03/14/2010	En (English 66) Page I		

Name CAS No	: ALUMINUM FORMATE, trihydrate : 7360-53-4		
		0/	
Name Aluminum formate, trihydrate	CAS No) 7360-53-4	% 95 - 100	GHS-US classification Skin Irrit. 2, H315
, administrate, anyorate		33 100	Eye Irrit. 2A, H319
Full text of hazard classes and H-statements	s : see section 16		
3.2. Mixture			
Not applicable			
4.1. Description of first aid measure			
First-aid measures general	 Remove contaminated clothing and medical advice immediately (show tl available show packaging or label. 		,
First-aid measures after inhalation	: Remove victim to fresh air and keep unwell, seek medical advice.	at rest in a position co	mfortable for breathing. If you feel
First-aid measures after skin contact	: Wash with plenty of soap and water	. Get medical advice/at	tention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly w present and easy to do. Continue rir	nsing. Get medical advi	ce/attention.
First-aid measures after ingestion	: Never give anything by mouth to an	unconscious person.	Get medical advice/attention.
4.2. Most important symptoms and e	effects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause irritation to the respirator	y tract.	
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
Symptoms/injuries after ingestion	: No information available.		
4.3. Indication of any immediate me	dical attention and special treatment need	led	
No additional information available			
SECTION 5: Firefighting measure	s		
5.1. Extinguishing media			
Suitable extinguishing media	: Foam. Carbon dioxide. Dry chemica	l.	
Unsuitable extinguishing media	: None known.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Irritating fumes and organic acid vap	oors may develop wher	material is exposed to elevated
	temperatures or open flame.		
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution when fighting any o	chemical fire.	
Protection during firefighting	: Do not enter fire area without proper Avoid contact with skin and eyes. Do		including respiratory protection.
SECTION 6: Accidental release m	easures		
6.1. Personal precautions, protective	e equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Protective equipment	: Wear protective equipment as descr	ibed in Section 8.	
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	Do not attempt to take action withou proper protection. For further inform protection".		
6.2. Environmental precautions	p		
	lotify authorities if product enters sewers or	public waters.	
6.3. Methods and material for contai			
For containment	 Contain any spills with dikes or absorbatic streams. 	orbents to prevent migr	ation and entry into sewers or
Methods for cleaning up	: Sweep or shovel spills into appropria	ate container for dispos	sal.
6.4. Reference to other sections			
See Heading 8. Exposure controls and perso	onal protection.		

SECTION 7: Handling and storag			
7.1. Precautions for safe handling			
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Do not allow dust to accumulate in work areas. Provide local exhaust or general room ventilation to minimize exposure to dust.		
Hygiene measures	 exposure to dust. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 		
7.2. Conditions for safe storage, inc	luding any incompatibilities		
Storage conditions	: Keep container tightly closed.		
Incompatible materials	: Strong oxidizers.		
Storage area	: Store in a well-ventilated place. Store away from heat.		
SECTION 8: Exposure controls/p	personal protection		
8.1. Control parameters			
Aluminum formate, trihydrate (7360-53-	4)		
	L (TWA) (mg/m ³) 15 mg/m ³ nuisance dust		
8.2. Exposure controls			
Appropriate engineering controls	: Provide local exhaust or general room ventilation.		
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
Hand protection	: Neoprene or nitrile rubber gloves.		
Eve protection	: Chemical goggles. Contact lenses should not be worn.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is		
	recommended. NIOSH-certified dust and mist (teal cartridge) respirator.		
SECTION 9: Physical and chemic	cal properties		
9.1. Information on basic physical a Physical state	: Solid		
	: Powder.		
Appearance Molecular mass	: 162.03 g/mol / 216.28 g/mol		
Color	: White to pale yellow.		
Odor	: Very slight.		
Odor threshold	: No data available		
Refractive index	: No data available		
pH	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: >1		
VOC content	. > 1 : <1%		
Solubility	: No data available		
Log Pow	: No data available		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties			
Oxidizing properties	: No data available		

Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable.	
10.3. Possibility of hazardous reactions	
An explosion of an aqueous solution of aluminum	n formate after heating in air has been reported.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Strong oxidizers.	
10.6. Hazardous decomposition products	
Organic acid vapors. Aluminum oxide fumes.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	: Not classified None of the components in this product at concentrations >0.1% are listed by IARC, NTP,
	OSHA or ACGIH as a carcinogen
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact Symptoms/injuries after eye contact	: Causes skin irritation. : Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
Reason for classification	: Expert judgment
SECTION 12. Ecological information	
SECTION 12: Ecological information	
12.1. Toxicity No additional information available	
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential No additional information available	
12.4. Mobility in soil No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.

SECTION 13: Disposal considera	ations		
I3.1. Waste treatment methods			
Sewage disposal recommendations	: Do not dispose of waste into sewer.		
Naste disposal recommendations	 Do not dispose of wastering seven. Dispose of solid materials or residues at a licensed site. Dispose in a safe manner in accordance with local/national regulations. 		
Ecology - waste materials	: Avoid release to the environment.		
SECTION 14: Transport informat	ion		
4.1. UN number			
lot regulated for transport.			
4.2. UN proper shipping name			
Not applicable			
14.3. Additional information			
Other information	: No supplementary information available.		
Fransport by sea			
No additional information available			
Air transport			
No additional information available			
SECTION 15: Regulatory informa	ition		
15.1. US Federal regulations			
Aluminum formate, trihydrate (7360-53-	4)		
Listed on the United States TSCA (Toxic S			
5.2. International regulations			
CANADA			
Aluminum formate, trihydrate (7360-53-			
Listed on the Canadian DSL (Domestic Su WHMIS Classification			
	Uncontrolled product according to WHMIS classification criteria		
EU-Regulations			
Aluminum formate, trihydrate (7360-53-			
Listed on the EEC inventory EINECS (Eur	opean Inventory of Existing Commercial Chemical Substances)		
National regulations			
Aluminum formate, trihydrate (7360-53-	4)		
Listed on the AICS (Australian Inventory o Listed on IECSC (Inventory of Existing Ch Listed on the Japanese ENCS (Existing & Listed on the Korean ECL (Existing Chemi Listed on NZIoC (New Zealand Inventory of Listed on PICCS (Philippines Inventory of	emical Substances Produced or Imported in China) New Chemical Substances) inventory icals List) of Chemicals)		
15.3. US State regulations No additional information available			
SECTION 16: Other information			
Full text of H-phrases::			
H315	Causes skin irritation		
H319	Causes serious eye irritation		
Abbreviations and acronyms	Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety ar Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.		

Safety Data Sheet

HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Prepared by safety and environmental affairs.

Date of issue: 09/14/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067