

## ALLYLDIMETHOXYSILANE

Safety Data Sheet SIA0447.0 Date of issue: 09/21/2015 Version: 1.0

SECTION 1: Identification of the sub-	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Physical state	: Liquid
Substance name	: ALLYLDIMETHOXYSILANE
Product code	: SIA0447.0
Formula	: C5H12O2Si
Synonyms	: 1-(DIMETHOXYSILYL)-2-PROPENE
Chemical family	: ORGANOMETHOXYSILANE
1.2. Relevant identified uses of the subst	tance or mixture and uses advised against
Use of the substance/mixture	: Chemical intermediate For research use only
1.3. Details of the supplier of the safety of	lata sheet
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 A info@gelest.com - www.gelest.com	AM - 5:30 PM EST
1.4. Emergency telephone number Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
	. Chewrite. 1-800-424-9300 (USA), +1703-327-3887 (International)
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	Ixture
Classification (GHS-US) Flam. Liq. 2 H225 Eye Irrit. 2A H319 Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor
Precautionary statements (GHS-US)	<ul> <li>H319 - Causes serious eye irritation</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P210 - Keep away from heat, open flames, sparks No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P240 - Ground/bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical equipment</li> <li>P242 - Use only non-sparking tools</li> <li>P243 - Take precautionary measures against static discharge</li> <li>P264 - Wash hands thoroughly after handling</li> <li>P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403+P235 - Keep in a cool place</li> <li>P501 - Dispose of contents/container to licensed waste disposal facility.</li> </ul>
2.3. Other hazards	
Other hazards not contributing to the classification	: Additional methanol may be formed by reaction with moisture and water. The US OSHA PEL (TWA) for methanol is 200 ppm.
09/21/2015	EN (English US) SDS ID: SIA0447.0 Page 1

Safety Data Sheet

ty (GHS US)		
/information on ingredients		
: Mono-constituent		
: ALLYLDIMETHOXYSILANE		
: 18147-35-8		
Product identifier	%	Classification (GHS-US)
(CAS No) 18147-35-8	95 - 100	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
	/information on ingredients : Mono-constituent : ALLYLDIMETHOXYSILANE : 18147-35-8 Product identifier	/information on ingredients   : Mono-constituent  : ALLYLDIMETHOXYSILANE  : 18147-35-8   Product identifier  (CAS No) 18147-35-8  95 -

## 3.2. Mixture

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	:	Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	:	Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	:	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	:	Never give anything by mouth to an unconscious person. Get medical advice/attention.
4.2. Most important symptoms and effe	cts	both acute and delayed
Symptoms/injuries after inhalation	:	May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	:	May cause skin irritation.
Symptoms/injuries after eye contact	:	Causes serious eye irritation.
Symptoms/injuries after ingestion	:	Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness.
Chronic symptoms	:	On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.

## 4.3. Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

<b>SECTION 5: Firefighting measures</b>			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.		
Unsuitable extinguishing media	: Do not use straight streams.		
5.2. Special hazards arising from the s	ubstance or mixture		
Fire hazard	: Highly flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.		
Explosion hazard	: May form flammable/explosive vapor-air mixture.		
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.		
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.		
SECTION 6: Accidental release me	asures		
6.1. Personal precautions, protective e	1. Personal precautions, protective equipment and emergency procedures		
General measures	: Eliminate every possible source of ignition. Use special care to avoid static electric charges.		
6.1.1. For non-emergency personnel			
Protective equipment	: Wear protective equipment as described in Section 8.		
Emergency procedures	: Evacuate unnecessary personnel.		

Safety Data Sheet

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	y authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces No smoking.
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.
Storage conditions	: Keep container tightly closed. Keep in a cool place.
Incompatible materials	: Alkalis. Metal salts. Oxidizing agent. Precious metals.
Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
<b>SECTION 8: Exposure controls/pers</b>	onal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
<b>SECTION 9: Physical and chemical</b>	properties

00/21/2015	EN (English LIS)	SDS ID: SIA0447 0	2/7
Freezing point	: <0°C		
Melting point	: No data available		
Relative evaporation rate (butyl acetate=1	) : <1		
рН	: No data available		
Refractive index	: 1.445		
Odor threshold	: No data available		
Odor	: Mild.		
Color	: Straw.		
Molecular mass	: 132.23 g/mol		
Appearance	: Clear liquid.		
Physical state	: Liquid		
9.1. Information on basic physical	and chemical properties		

Safety Data Sheet

Boiling point	: 107 - 109 °C
Flash point	: < 38 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapor
Vapor pressure	: No data available
Relative vapor density at 20 °C	: >1 (air=1)
Relative density	: 0.877
Solubility	: Insoluble in water. Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
0.2 Other information	

#### 9.2. Other information

No additional information available

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

## 10.3. Possibility of hazardous reactions

The product can generate small amounts of hydrogen when exposed to alkalis and protic materials such as water and alcohol in combination with metal salts such as aluminum chloride or precious metals such as platinum. Hazardous polymerization can occur if material is stored above 40°C or contacts platinum or other precious metal catalysts. Reacts with water and moisture in air, liberating methanol.

## 10.4. Conditions to avoid

Heat. Open flame. Sparks.

## 10.5. Incompatible materials

Alkalis. Metal salts. Oxidizing agent. Precious metals.

#### 10.6. Hazardous decomposition products

Hydrogen. Methanol. Silicon dioxide.

SECTION	11. Toxid	cological	information

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: This material liberates small amounts of methanol on contact with moisture. Material generates methanol on contact with water or moisture in skin, eyes and mucous membranes and has an irritating, dehydrating effect on overexposed tissue.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness.

Safety Data Sheet

Chronic symptoms	: On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT)	: 1993
DOT NA no.	UN1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
	ALLYLDIMETHOXYSILANE
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
DOT Symbols	: G - Identifies PSN requiring a technical name
Packing group (DOT)	: II - Medium Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
Trepopert by see	
Transport by sea DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
DOT VESSEL SIUWAYE LULALIUT	b - (i) The material may be stowed on deck of under deck of a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

Safety Data Sheet

#### Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 60 L CFR 175.75)

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.		
Allyldimethoxysilane (18147-35-8)		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		

#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

ALLYLDIMETHOXYSILANE(18147-35-8)						
U.S California - Proposition 6	65 - Carcinogens List	No				
U.S California - Proposition 6 Toxicity	65 - Developmental	No				
U.S California - Proposition 6 Toxicity - Female	65 - Reproductive	No				
U.S California - Proposition 65 - Reproductive Toxicity - Male		No				
Allyldimethoxysilane (18147-35-8)						
U.S California -	U.S California -	U	.S California -	U.S California -		No significance risk level

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

# SECTION 16: Other information Abbreviations and acronyms : Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration: ATE: Acute Toxicity Estimates: H: hour: °: °C unless otherwise stated mm.

Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation

## HMIS III Rating

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
: 4 Severe Hazard
: 1 Slight Hazard
: X

Prepared by safety and environmental affairs.

Safety Data Sheet

Date of issue: 09/21/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

