

Safety Data Sheet SIB0950.0
Date of issue: 12/08/2015 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : BENZHYDRYLOXYBIS(TRIMETHYLSILOXY)CHLOROSILANE, 95%

Product code : SIB0950.0
Formula : C19H29CIO3Si3

Synonyms : BENZHYDRYLOXYCHLOROBIS(TRIMETHYLSILOXY)SILANE

Chemical family : ORGANOCHLOROSILANE

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research use only

# 1.3. Details of the supplier of the safety data sheet

# **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

**USA** 

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# GHS-US classification Skin Corr. 1B H314 Eye Dam. 1 H318

Full text of H-phrases: see section 16

## 2.2. Label elements

### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe vapors

P264 - Wash hands thoroughly after handling

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility.

# 2.3. Other hazards

Other hazards not contributing to the classification

 Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.

# 2.4. Unknown acute toxicity (GHS US)

No data available

12/10/2015 EN (English US) SDS ID: **SIB0950.0** Page 1

Safety Data Sheet

# **SECTION 3: Composition/Information on ingredients**

Substance type : Mono-constituent

BENZHYDRYLOXYBIS(TRIMETHYLSILOXY)CHLOROSILANE, 95% Name

CAS No 309963-45-9

Name	Product identifier	%	GHS-US classification
Benzhydryloxybis(trimethylsiloxy)chlorosilane	(CAS No) 309963-45-9	95 -	Skin Corr. 1B, H314
		100	Eye Dam. 1, H318

### **Mixture**

Not applicable

# **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures general

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Get medical advice/attention if you

feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Symptoms/injuries after inhalation May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact Causes (severe) skin burns. Symptoms/injuries after eye contact Causes serious eye damage. Symptoms/injuries after ingestion May be harmful if swallowed.

# Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Water.

# Special hazards arising from the substance or mixture

: Irritating fumes of hydrogen chloride and organic acid vapors may develop when material is Fire hazard

exposed to water or open flame.

# **Advice for firefighters**

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

**Emergency procedures** : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with Protective equipment

proper protection. For further information refer to section 8: "Exposure controls/personal protection".

## **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

SDS ID: SIB0950.0 12/10/2015 EN (English US) 2/6

# Safety Data Sheet

Methods for cleaning up

Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.

# Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

#### Precautions for safe handling

Precautions for safe handling

: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of

Hygiene measures

Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

# Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store locked up.

: Acids. Alcohols. Oxidizing agent. Incompatible materials

: Store in a well-ventilated place. Store away from heat. Storage area

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

No additional information available

## **Exposure controls**

Appropriate engineering controls

: Provide local exhaust or general room ventilation.

Personal protective equipment

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection Neoprene or nitrile rubber gloves.

Eye protection Chemical goggles or face shield. Contact lenses should not be worn.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge)

# SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

: Liquid Physical state Appearance Clear liquid. Molecular mass : 425.15 g/mol Color Straw.

Acrid. Similar to hydrogen chloride. Odor

Odor threshold No data available Refractive index No data available pΗ : No data available : No data available Relative evaporation rate (butyl acetate=1)

< 20 °C Melting point

Freezing point : No data available

: 135 - 140 °C @ 0.25 mm Hg Boiling point

Flash point : > 200 °C

Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) : No data available Vapor pressure : < 0.01 mm Hg @ 25°C Relative vapor density at 20 °C : No data available

Relative density

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available Log Kow No data available Viscosity, kinematic : No data available

SDS ID: SIB0950.0 12/10/2015 EN (English US) 3/6

# Safety Data Sheet

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

#### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent.

# 10.6. Hazardous decomposition products

Hydrogen chloride. Organic acid vapors.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : Causes (severe) skin burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

# **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

# 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

12/10/2015 EN (English US) SDS ID: **SIB0950.0** 4/6

Safety Data Sheet

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

# 14.1. UN number

UN-No.(DOT) : 2987 DOT NA no. UN2987

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Chlorosilanes, corrosive, n.o.s.

(BENZHYDRYLOXYBIS(TRIMETHYLSILOXY)CHLOROSILANE)

Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : None
DOT Packaging Non Bulk (49 CFR 173.xxx) : 206
DOT Packaging Bulk (49 CFR 173.xxx) : 242

### 14.3. Additional information

Emergency Response Guide (ERG) Number : 60

Other information : No supplementary information available.

### Transport by sea

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

# SECTION 15: Regulatory information

# 15.1. US Federal regulations

DENZUVDDVI OVVDIC	(TRIMETHYLSILOXY)CH	LI ODOGII ANE	050/ /200062 45 0)
DENZHIDKILUXIDIƏ	(IKIMEINILSILUXI)UN	HLUKUSILANE,	95% (3U9963-45-9)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

# Benzhydryloxybis(trimethylsiloxy)chlorosilane (309963-45-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

# 15.2. International regulations

No additional information available

# 15.3. US State regulations

BENZHYDRYLOXYBIS(TRIMETHYLSILOXY)CHLOROSILANE, 95%(309963-45-9)		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	

12/10/2015 EN (English US) SDS ID: **SIB0950.0** 5/6

Safety Data Sheet

BENZHYDRYLOXYBIS(TRIMETHYLSILOXY)CHLOROSILANE, 95%(309963-45-9)				
U.S California - Propo Toxicity - Male	sition 65 - Reproductive	No		
Benzhydryloxybis(trimethylsiloxy)chlorosilane (309963-45-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

# **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

# **HMIS III Rating**

Health

3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability Physical

: 2 Moderate Hazard: 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 12/08/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

12/10/2015 EN (English US) SDS ID: **SIB0950.0** 6/6