

2-(CARBOMETHOXY)ETHYLMETHYLDICHLOROSILANE, tech-95

Safety Data Sheet SIC2068.0 Date of issue: 12/02/2015 Version: 1.0

1.1. Product identifier	substance/mixture and of the company/undertaking		
Product form	: Substance		
Physical state	: Liquid		
Substance name	: 2-(CARBOMETHOXY)ETHYLMETHYLDICHLOROSILANE, tech-95		
Product code	: SIC2068.0		
Formula	: C5H10Cl2O2Si		
Synonyms	: METHYL[(3-METHYLDICHLOROSILYL)PROPANOATE]		
Chemical family	: ORGANOCHLOROSILANE		
1.2. Relevant identified uses of the	substance or mixture and uses advised against		
Use of the substance/mixture	: Chemical intermediate For research use only		
1.3. Details of the supplier of the sa	afety data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): a info@gelest.com - www.gelest.com	8:00 AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)		
SECTION 2: Hazards identification	on		
2.1. Classification of the substance			
GHS-US classification			
Flam. Liq. 3 H226 Skin Corr. 1B H314 Eye Dam. 1 H318			
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling			
2.2. Label elements GHS-US labeling	THE SECOND SECON		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	:		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H226 - Flammable liquid and vapor H314 - Causes severe skin burns and eye damage 		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger : H226 - Flammable liquid and vapor		

	P40)3+P235 - Keep in a cool place)5 - Store locked up)1 - Dispose of contents/container to l	icensed waste d	isposa	al facility.
2.3. Other hazards					
Other hazards not contributing to the lassification		<pre>Irogen chloride may be formed by rea _ (TWA) for hydrogen chloride is 5 pp</pre>		and m	noisture in air. The US OSHA
2.4. Unknown acute toxicity (GHS US					
lo data available					
SECTION 3: Composition/Information	ion on i	ngredients			
3.1. Substance					
Substance type	: Mo	no-constituent			
lame	: 2-(0	CARBOMETHOXY)ETHYLMETHYLD	ICHLOROSILAN	NE, teo	ch-95
CAS No	: 181	63-42-3			
Name		Product identifier	%		GHS-US classification
2-(Carbomethoxy)ethylmethyldichlorosilane		(CAS No) 18163-42-3	95 - 100		Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
.1. Description of first aid measures					
irst-aid measures general	me	nove contaminated clothing and shoe dical advice immediately (show the la ilable show packaging or label.			
irst-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice. 				
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.				
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.				
irst-aid measures after ingestion		ver give anything by mouth to an unco unwell.	nscious person.	Get n	nedical advice/attention if you
.2. Most important symptoms and ef	fects, bot	h acute and delayed			
Symptoms/injuries	: Cau	ises severe skin burns and eye dama	ge.		
Symptoms/injuries after inhalation	: Ma	cause irritation to the respiratory tra-	ct.		
Symptoms/injuries after skin contact		ises (severe) skin burns.			
Symptoms/injuries after eye contact		uses serious eye damage.			
Symptoms/injuries after ingestion	: Ma	/ be harmful if swallowed.			
Indication of any immediate med No additional information available	cal attent	ion and special treatment needed			
SECTION 5: Firefighting measures	;				
5.1. Extinguishing media					
Suitable extinguishing media	: Wa	ter spray. Foam. Carbon dioxide. Dry	chemical.		
Insuitable extinguishing media	: Wa	ter.			
5.2. Special hazards arising from the	substance	e or mixture			
ire hazard	: Fla	nmable liquid and vapor. Irritating fun elop when material is exposed to wat			de and organic acid vapors ma
.3. Advice for firefighters					
	_	rcise caution when fighting any chem			

SECTION 6: Accidental release measures				
6.1. Personal precautions, p	Personal precautions, protective equipment and emergency procedures			
General measures	: Eliminate ignition sources. U	se special care to avoid static electric charges.		
6.1.1. For non-emergency per	sonnel			
Protective equipment	: Wear protective equipment a	: Wear protective equipment as described in Section 8.		
Emergency procedures	: Evacuate unnecessary perso	onnel.		
12/02/2015	EN (English US)	SDS ID: SIC2068.0	2/6	

6.1.2. For emergency responders			
Protective equipment	tective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containmer	t and cleaning up		
For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.			
Methods for cleaning up	 Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools. 		
6.4. Reference to other sections			
See Heading 8. Exposure controls and personal p	rotection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Keep away from heat/sparks/open flames/hot surfaces No smoking.		
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only non-sparking tools.		
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, including	g any incompatibilities		
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.		
Storage conditions	: Keep container tightly closed. Keep in a cool place. Store locked up.		
Incompatible materials	: Alcohols. Amines. Oxidizing agent.		
Storage area	: Store in a well-ventilated place. Store away from heat.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/perso	nal protection		
8.1. Control parameters			
No additional information available			
8.2. Exposure controls			
Appropriate engineering controls	: Provide local exhaust or general room ventilation.		
Personal protective equipment	Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be		
	available in the immediate vicinity of any potential exposure.		
Hand protection	: Neoprene or nitrile rubber gloves.		
Eye protection	: Chemical goggles or face shield. Contact lenses should not be worn.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.		
SECTION 9: Physical and chemical p	operties		
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Clear liquid.		
Molecular mass	: 201.12 g/mol		
Color	: Straw.		
Odor	: Acrid.		
Odor threshold	: No data available		
Refractive index	: 1.4439		
pH : No data available			
Relative evaporation rate (butyl acetate=1) : No data available			
Melting point : No data available			
Freezing point	: <0°C		

: 98 - 99 °C @ 25 mm Hg

Flash point	: 52 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor
Vapor pressure	: < 1 mm Hg @ 20°C
Relative vapor density at 20 °C	: >1
Relative density	: 1.187
Solubility	: Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Stable in sealed containers stored under a dry inert atmosphere.
10.3. Possibility of hazardous reactions
Reacts with water and moisture in air, liberating hydrogen chloride.
10.4. Conditions to avoid
Heat. Open flame. Sparks.
10.5. Incompatible materials
Alcohols. Amines. Oxidizing agent.
10.6. Hazardous decomposition products
Hydrogen chloride. Organic acid vapors.
SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment

SECT	SECTION 12: Ecological information				
12.1.	Toxicity				
No add	tional information available				
12.2.	Persistence and degradability				
No additional information available					
12/02/20	15	EN (English US)	SDS ID: SIC2068.0	4/6	

12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT)	: 2986
DOT NA no.	UN2986
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Chlorosilanes, corrosive, flammable, n.o.s.
	(2-(CARBOMETHOXY)ETHYLMETHYLDICHLOROSILANE)
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive 3 - Flammable liquid
	8 3
Packing group (DOT)	: II - Medium Danger
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx)	: None
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 206
DOT Packaging Bulk (49 CFR 173.xxx)	: 243
14.3. Additional information	
Other information	: No supplementary information available.
Transport by sea	
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
C C	
Air transport DOT Quantity Limitations Passenger aircraft/rail	· Forbidden
(49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 30 L
CFR 175.75)	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
2-(CARBOMETHOXY)ETHYLMETHYLDICHLC	
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the
	R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR
	720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r)
	is not permitted in the United States.
2-(Carbomethoxy)ethylmethyldichlorosilane	
Not listed on the United States TSCA (Toxic Sul	
15.2. International regulations	
No additional information available 12/02/2015	EN (English US) SDS ID: SIC2068.0 5/6

15.3. US State regulations				
2-(CARBOMETHOXY)ETHYLMETHYLDICHLOROSILANE, tech-95(18163-42-3)				
U.S California - Propositior	n 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
2-(Carbomethoxy)ethylmethyldichlorosilane (18163-42-3)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

a of replicates.	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H226	Flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is
	given
Flammability	: 2 Moderate Hazard
Physical	: 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 12/02/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067