

(DICHLOROMETHYL)METHYLDICHLOROSILANE, tech-95

Safety Data Sheet SID3362.0 Date of issue: 09/29/2016 Version: Version: 1.0

SECTION 1: Identification			
1.1. Product identifier			
Product name	· (DICHLOROMETHYL)METHY	I DICHLOROSILANE tech-95	
Product code	: (DICHLOROMETHYL)METHYLDICHLOROSILANE, tech-95 : SID3362.0		
Product form	: Substance		
Physical state	: Liquid		
Formula	: C2H4Cl4Si		
Synonyms	: DICHLORO(DICHLOROMETH	IVI)METHYI SILANE	
Synonyms	(DICHLOROMETHYLSILYL)D		
Chemical family	: ORGANOCHLOROSILANE		
1.2. Recommended use of the chem	nical and restrictions on use		
Recommended use	: Chemical intermediate		
	For research and industrial use	only	
1.3. Details of the supplier of the sa	fety data sheet		
GELEST, INC.			
11 East Steel Road			
Morrisville, PA 19067 USA			
T 215-547-1015 - F 215-547-2484 - (M-F): & info@gelest.com - www.gelest.com	3:00 AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300	(USA); +1 703-527-3887 (International)	
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance	or mixture		
GHS-US classification			
Flammable liquids Category 3 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category Specific target organ toxicity (single exposul Subtract of Listenments : and participation 16			
Full text of H statements : see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
Signal word (CHS LIS)	GHS02 GHS05	GHS07	
Signal word (GHS-US)	: Danger : H226 - Flammable liquid and v	apor	
Hazard statements (GHS-US)	H314 - Causes severe skin bu H318 - Causes serious eye da H335 - May cause respiratory	mage	
Precautionary statements (GHS-US)	P210 - Keep away from heat, or P240 - Ground/Bond container P241 - Use explosion-proof ele P242 - Use only non-sparking P243 - Take precautionary me P260 - Do not breathe vapors P264 - Wash hands thoroughly P271 - Use only outdoors or in P301 + P330 + P331 - If swallo P303 + P361 + P353 - If on ski skin with water/shower P304 + P340 - If inhaled: Rem	ectrical equipment tools asures against static discharge a well-ventilated area owed: rinse mouth. Do NOT induce vomiting n (or hair): take off immediately all contaminate ove person to fresh air and keep comfortable fo S: Rinse cautiously with water for several minu	ed clothing. rinse or breathing
Print date: 09/29/2016	EN (English US)	SDS ID: SID3362.0	Page 1

P363 - Wash contaminated clothing b P370 + P378 - In case of fire: Use wa	pefore reuse	
P403 + P233 - Store in a well-ventilat P403 + P235 - Keep in a cool place P405 - Store locked up		0.7
	to licensed waste dis	posal facility
(HNOC)		
PEL (TWA) for hydrogen chloride is 5	reaction with water a 5 ppm.	nd moisture in air. The US OSHA
ion on ingredients		
: Mono-constituent		
· · · · · · · · · · · · · · · · · · ·	ILOROSILANE, tech-	95
: 1558-31-2		
Product identifier	%	GHS-US classification
(CAS No) 1558-31-2	95 - 100	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
see section 16	•	
· Remove contaminated clothing and s	hoes. In case of accid	dent or if you feel unwell seek
medical advice immediately (show the	e label where possible	e). If possible show this sheet; if no
available show packaging or label.		
unwell, seek medical advice.		
present and easy to do. Continue rins	sing. Get immediate n	nedical advice/attention.
: Never give anything by mouth to an u feel unwell.	Inconscious person.	Set medical advice/attention if you
fects, both acute and delayed		
: Causes severe skin burns and eye da	amage.	
: May cause respiratory irritation. Inhalation of large amounts is expected to cause necrosis of tracheal epithelium, bronchitis and interstitial pneumonia by analogy to animal tests for tetrachlorosilane.		
: Causes (severe) skin burns.		
: Causes serious eye damage.		
: May be harmful if swallowed.		
		cid burns may be considered
: Water spray. Foam. Carbon dioxide.	Dry chemical.	
: Water.		
substance or mixture		
	fumor of hydrogon o	
develop when material is exposed to		hloride and organic acid vapors ma
	water or open flame.	hloride and organic acid vapors ma
develop when material is exposed to	water or open flame.	hloride and organic acid vapors ma
develop when material is exposed to : May form flammable/explosive vapor	water or open flame. -air mixture.	
develop when material is exposed to	water or open flame. -air mixture. hemical fire. Use wate protective equipment.	er spray to cool exposed surfaces. including respiratory protection.
	 P321 - Specific treatment (see first al P363 - Wash contaminated clothing b P370 + P378 - In case of fire: Use wattinguish P403 + P233 - Store in a well-ventilar P403 + P235 - Keep in a cool place P405 - Store locked up P501 - Dispose of contents/container HNOC Hydrogen chloride may be formed by PEL (TWA) for hydrogen chloride is \$ Con on ingredients Mono-constituent (DICHLOROMETHYL)METHYLDICH: 1558-31-2 Product identifier (CAS No) 1558-31-2 see section 16 Remove contaminated clothing and s medical advice immediately (show th available show packaging or label. Remove victim to fresh air and keep aunwell, seek medical advice. Wash with plenty of soap and water. Immediately flush eyes thoroughly wipresent and easy to do. Continue rise a	P321 - Specific treatment (see first aid instructions on this P363 - Wash contaminated clothing before reuse P370 + P378 - In case of fire: Use water spray, foam, carb extinguish P403 + P233 - Store in a well-ventilated place. Keep conta P403 + P235 - Keep in a cool place P405 - Store locked up P501 - Dispose of contents/container to licensed waste dis HNOC) : Hydrogen chloride may be formed by reaction with water a PEL (TWA) for hydrogen chloride is 5 ppm. Con on ingredients : (DICHLOROMETHYL)METHYLDICHLOROSILANE, tech-1: 1558-31-2 Product identifier % (CAS No) 1558-31-2 95 - 100 see section 16

SECTION 6: Accidental release n	
	/e equipment and emergency procedures
General measures	: Eliminate every possible source of ignition. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with
	proper protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or
Vethods for cleaning up	 Contain any spills with dives of absorbents to prevent migration and entry into sewers of streams. Clean up any spills as soon as possible, using an absorbent material to collect it. Use only nor
viethous for cleaning up	sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and pers	sonal protection.
SECTION 7: Handling and storag	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. Keep away from
	heat/sparks/open flames/hot surfaces No smoking.
Precautions for safe handling	 Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only outdoor or in a well-ventilated area. Use only non-sparking tools.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild
	soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inc	
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Use explosion-proceeder electrical equipment.
Storage conditions	: Keep container tightly closed. Keep in a cool place. Store locked up.
Incompatible materials	: Alcohols. Amines. Oxidizing agent. Peroxides.
Storage area	: Store in a well-ventilated place. Store away from heat.
SECTION 8: Exposure controls/p	personal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
•	 Neoprene or nitrile rubber gloves. Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn.
Eye protection	
Eye protection Skin and body protection	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is
Eye protection Skin and body protection	Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn.Wear suitable protective clothing.
Eye protection Skin and body protection Respiratory protection	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chemic	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chemic 9.1. Information on basic physical a	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chemic 9.1. Information on basic physical a Physical state	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chemic 9.1. Information on basic physical a Physical state Appearance	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chemic 9.1. Information on basic physical a Physical state Appearance Molecular mass	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
Hand protection Eye protection Skin and body protection Respiratory protection SECTION 9: Physical and chemic 9.1. Information on basic physical a Physical state Appearance Molecular mass Color Odor	 Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn. Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

Odor threshold	: No data available
Refractive index	: 1.47
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: -43 °C
Boiling point	: 148 - 149 °C
Flash point	: 28 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapor
Vapor pressure	: No data available
Relative vapor density at 20 °C	: >1
Relative density	: 1.4116
Solubility	: Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers stored under a dry in	nert atmosphere.
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating	hydrogen chloride.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Alcohols. Amines. Oxidizing agent. Peroxides.	
10.6. Hazardous decomposition products	
Hydrogen chloride. Organic acid vapors.	*
SECTION 11: Toxicological information	tion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
	None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target argen tovicity (repeated	: Not classified
Specific target organ toxicity (repeated exposure)	
Aspiration hazard	: Not classified
Print date: 09/29/2016	EN (English US) SDS ID: SID3362.0 4/7

Symptoms/injuries after inhalation	May cause respiratory irritation. Inhalation of large amounts is expected to cause necrosis of tracheal epithelium, bronchitis and interstitial pneumonia by analogy to animal tests for tetrachlorosilane.	
Symptoms/injuries after skin contact	Causes (severe) skin burns.	
Symptoms/injuries after eye contact	: Causes serious eye damage.	
Symptoms/injuries after ingestion	: May be harmful if swallowed.	
Reason for classification	: Expert judgment	
SECTION 12: Ecological information	h a state a st	
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects Other adverse effects	: This substance may be hazardous to the environment.	
Effect on ozone layer	: No additional information available	
Effect on the global warming	: No known effects from this product.	
GWPmix comment	: No known effects from this product.	
SECTION 13: Disposal consideration	ns	
13.1. Waste treatment methods		
Sewage disposal recommendations	: Do not dispose of waste into sewer.	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.	
Additional information	: Handle empty containers with care because residual vapors are flammable.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport information		
14.1. UN number		
UN-No.(DOT)	: 2986	
DOT NA no.	UN2986	
14.2. UN proper shipping name		
Transport document description	: UN2986 Chlorosilanes, corrosive, flammable, n.o.s. ((DICHLOROMETHYL)METHYLDICHLOROSILANE), 8 (3), II	
Proper Shipping Name (DOT)	: Chlorosilanes, corrosive, flammable, n.o.s.	
	((DICHLOROMETHYL)METHYLDICHLOROSILANE)	
Class (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136	
Packing group (DOT)	: II - Medium Danger	
Hazard labels (DOT)	: 8 - Corrosive 3 - Flammable liquid	
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 206	
DOT Packaging Bulk (49 CFR 173.xxx)	: 243	
DOT Packaging Exceptions (49 CFR 173.xxx)	: None	
14.3. Additional information		
Emergency Response Guide (ERG) Number	: 155	
Other information	: No supplementary information available.	

Transport by sea		
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel	
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"	
Air transport		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: Forbidden	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)) : 30 L	
SECTION 15: Regulatory informatio	n	
15.1. US Federal regulations		
(Dichloromethyl)methyldichlorosilane (155	3-31-2)	
Listed on the United States TSCA (Toxic Subs	tances Control Act) inventory	
15.2. International regulations		
CANADA		
(Dichloromethyl)methyldichlorosilane (155	3-31-2)	
Listed on the Canadian NDSL (Non-Domestic		
EU-Regulations		
(Dichloromethyl)methyldichlorosilane (1558	8-31-2)	
	an Inventory of Existing Commercial Chemical Substances)	
National regulations		
(Dichloromethyl)methyldichlorosilane (155		
Listed on the Japanese ENCS (Existing & Nev	7 Chemical Substances) inventory	
15.3. US State regulations No additional information available		
SECTION 16: Other information		
Full text of H-phrases::		
H226	Flammable liquid and vapor	
H314 H318	Causes severe skin burns and eye damage Causes serious eye damage	
H335	May cause respiratory irritation	
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal	
	Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and	
	Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service	
	Registration Number; EC No.: European Commission Registration Number; EC Index No.:	
	European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.	
	and bevelopment, on o. The orobally harmonized bystem of olassification and Labelling.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is	
Florementility	given	
Flammability	3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)	
Physical	1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.	
Prepared by safety and environmental affairs.		

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067

