

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : BIS(TRIMETHYLSILYL)CARBODIIMIDE

Product code : SIB1856.0 Formula : C7H18N2Si2

Synonyms : BIS(TRIMETHYLSILYLIMINO)METHANE; N,N'-METHANETETRAYLBIS[1,1,1-

TRIMETHYLSILYLAMINE]

Chemical family : ORGANOSILANE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research and industrial use only

#### 1.3. Details of the supplier of the safety data sheet

#### **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### **Classification (GHS-US)**

Flam. Liq. 3 H226 Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2A H319

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS02

2 GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P330 - Rinse mouth

P301+P312 - If swallowed: Call a doctor if you feel unwell

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P332+P313 - If skin irritation occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

09/17/2015 EN (English US) SDS ID: **SIB1856.0** Page 1

### Safety Data Sheet

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P321 - Specific treatment (see first aid instructions on this label)

P362+P364 - Take off contaminated clothing and wash it before reuse

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish

P403+P235 - Keep in a cool place

P501 - Dispose of contents/container to licensed waste disposal facility.

#### Other hazards

No additional information available

#### **Unknown acute toxicity (GHS US)**

No data available

#### SECTION 3: Composition/information on ingredients

#### **Substance**

: Mono-constituent Substance type

: BIS(TRIMETHYLSILYL)CARBODIIMIDE Name

CAS No : 1000-70-0 EC no : 213-673-2

Name	Product identifier	%	Classification (GHS-US)
Bis(trimethylsilyl)carbodiimide	(CAS No) 1000-70-0	95 - 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302
		100	Skin Irrit. 2, H315
			Eve Irrit, 2A, H319

#### **Mixture**

Not applicable

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

First-aid measures general Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label. IF exposed or concerned: Get medical advice/attention. First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact Causes serious eye irritation.

Harmful if swallowed. Swallowing a small quantity of this material will result in serious health Symptoms/injuries after ingestion

#### Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

#### Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when

material is exposed to elevated temperatures or open flame.

### Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

General measures : Eliminate ignition sources. Use special care to avoid static electric charges.

SDS ID: SIB1856.0 09/17/2015 EN (English US)

#### Safety Data Sheet

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

: Evacuate unnecessary personnel. **Emergency procedures** 

#### For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

#### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or Methods for cleaning up

shovel spills into appropriate container for disposal. Use only non-sparking tools.

#### Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### Precautions for safe handling

Additional hazards when processed : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in

process area to prevent accumulation of vapors. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only non-sparking

Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures

smoking and when leaving work. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions Keep container tightly closed. Keep in a cool place.

Acids. Alcohols. Oxidizing agent. Peroxides. Incompatible materials

Store in a well-ventilated place. Store away from heat. Storage area

#### Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

No additional information available

#### **Exposure controls**

: Provide local exhaust or general room ventilation. Appropriate engineering controls

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Chemical goggles. Contact lenses should not be worn. Eye protection

Skin and body protection Wear suitable protective clothing.

Where exposure through inhalation may occur from use, respiratory protection equipment is Respiratory protection

recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge)

respirator.

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Physical state : Liquid **Appearance** : Clear liquid. 186.4 g/mol Molecular mass Color Straw. Odor Mild.

Odor threshold : No data available

Refractive index : 1.4351

: No data available Hq

SDS ID: SIB1856.0 09/17/2015 EN (English US) 3/7

### Safety Data Sheet

Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available

Freezing point : -23 °C Boiling point : 164 °C Flash point : 42 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

Vapor pressure : No data available

Relative vapor density at 20 °C : > 1Relative density : 0.821VOC content : < 3 %

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable when stored in sealed containers.

#### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air liberating hexamethyldisiloxane (flammable) and carbodiimide. Degrades at temperatures above 80°C.

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

#### 10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent. Peroxides.

#### 10.6. Hazardous decomposition products

Acetonitrile. Carbodiimide. Hexamethyldisiloxane. Organic acid vapors.

#### **SECTION** 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

BIS(TRIMETHYLSILYL)CARBODIIMIDE (1000-70-0)		
ATE US (oral)	1728.000 mg/kg body weight	
Bis(trimethylsilyl)carbodiimide (1000-70-0)		
LD50 oral rat	1728 mg/kg	
ATE US (oral)	1728.000 mg/kg body weight	
01: " " "		

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

09/17/2015 EN (English US) SDS ID: **SIB1856.0** 4/7

### Safety Data Sheet

Potential Adverse human health effects and

symptoms

: The hydrolysis product, cyanamide toxicity- oral rat, (LD50: 200mg/kg), is a strong irritant.

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

Reason for classification : Expert judgment

#### SECTION 12: Ecological information

#### **Toxicity**

No additional information available

#### Persistence and degradability

No additional information available

#### **Bioaccumulative potential**

No additional information available

#### Mobility in soil

No additional information available

#### Other adverse effects 12.5.

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer No additional information available

Effect on the global warming : No known ecological damage caused by this product.

#### SECTION 13: Disposal considerations

#### Waste treatment methods 13.1.

Sewage disposal recommendations Do not dispose of waste into sewer.

Waste disposal recommendations May be incinerated. Dispose in a safe manner in accordance with local/national regulations.

Dispose of contents/container to licensed waste disposal facility.

Ecology - waste materials Avoid release to the environment.

### **SECTION 14: Transport information**

#### **UN** number 14.1.

: 1993 UN-No.(DOT) DOT NA no. UN1993

#### **UN** proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, n.o.s.

(BIS(TRIMETHYLSILYL)CARBODIIMIDE)

Department of Transportation (DOT) Hazard

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

: 3 - Flammable liquid Hazard labels (DOT)



**DOT Symbols** : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

#### 14.3. Additional information

Emergency Response Guide (ERG) Number

Other information : No supplementary information available.

#### Transport by sea

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

09/17/2015 SDS ID: SIB1856.0 EN (English US) 5/7

### Safety Data Sheet

#### Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### Bis(trimethylsilyl)carbodiimide (1000-70-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### Bis(trimethylsilyl)carbodiimide (1000-70-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.3. US State regulations

BIS(TRIMETHYLSILYL)CARBODIIMIDE(1000-70-0)				
U.S California - Proposition 65 - Carcinogens List	No			
U.S California - Proposition 65 - Developmental Toxicity	No			
U.S California - Proposition 65 - Reproductive Toxicity - Female	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male	No			

### Bis(trimethylsilyl)carbodiimide (1000-70-0)

U.S California - Proposition 65 -	No significance risk level (NSRL)			
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
No	No	No	No	

#### **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 3	Flammable liquids Category 3	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
H226	Flammable liquid and vapor	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	

#### **HMIS III Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 2 Moderate Hazard Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

09/17/2015 EN (English US) SDS ID: **SIB1856.0** 6/7

Safety Data Sheet


Date of issue: 09/17/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067



09/17/2015 EN (English US) SDS ID: **SIB1856.0** 7/7