

3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE

Safety Data Sheet SIP6742.5 Date of issue: 01/08/2015 Version: 1.0

Name CAS No EC no Name	entamethyl-3-phenyltrisiloxane	: 241-8	Product identifier (CAS No) 17962-34-4	% > 95	Classification (GHS-US) Flam. Lig. 4, H227
CAS No		: 241-8			
CAS No		. 044 0	36-0		
		: 1796			
			NYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE		
Substance	type		constituent		
8.1. S	Substance				
SECTION	N 3: Composition/informatic	on on in	gredients		
lo data ava	ailable				
	Inknown acute toxicity (GHS-US)				
	al information available				
	Other hazards				
		P210 P370 P403	Keep away from heat, open flames, sparks P378 - In case of fire: Use water spray, foam, P235 - Keep in a cool place Dispose of contents/container to licensed was	No smol carbon d	king lioxide, dry chemical to extinguis
	ary statements (GHS-US)		· Wear protective gloves/protective clothing/eye	e protect	ion/face protection
-	tements (GHS-US)		- Combustible liquid		
	d (GHS-US)	: Warr			
GHS-US la					
	abel elements				
Flam. Liq. 4 Full text of l	H227 H-phrases: see section 16				
	tion (GHS-US)				
	Classification of the substance or n	nixture			
SECTIO	N 2: Hazards identification				
Emergency	number	: CHE	TREC: 1-800-424-9300 (USA); +1 703-527-38	387 (Inter	rnational)
-	Emergency telephone number				
JSA F 215-547-	1015 - F 215-547-2484 - (M-F): 8:00 st.com - www.gelest.com	AM - 5:30	PM EST		
GELEST, II 11 East Ste Morrisville,	eel Road				
1.3. D	Details of the supplier of the safety	data she	t		
Use of the s	substance/mixture		ical intermediate search use only		
1.2. R	Relevant identified uses of the subs	stance or	nixture and uses advised against		
Chemical fa	amily	: ORG	NOSILOXANE		
Synonyms			IMETHYLSILOXY)PHENYLMETHYLSILANE; YLTRISILOXANE	1,1,3,5,5	-PENTAMETHYL-3-
Formula			2202Si3	11255	
Product coo	ue	: SIP6			
Substance			NYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE		
Physical sta		: Liqui		_	
Product for		: Subs	ance		
.1. P	Product identifier				
		ostance	mixture and of the company/under	taking	

3.2. Mixture

Not applicable

3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE Safety Data Sheet

SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.			
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.			
First-aid measures after skin contact	: Wash with plenty of soap and water.			
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.			
First-aid measures after ingestion	Never give anything by mouth to an unconscious person. Get medical advice/attention.			
4.2. Most important symptoms and effects	s, both acute and delayed			
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea.			
Symptoms/injuries after skin contact	: May cause skin irritation.			
Symptoms/injuries after eye contact	: May cause eye irritation.			
Symptoms/injuries after ingestion	: No information available.			
4.3. Indication of any immediate medical a	attention and special treatment needed			
No additional information available				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.			
5.2. Special hazards arising from the subs	stance or mixture			
Fire hazard	Combustible liquid. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.			
5.3. Advice for firefighters				
Firefighting instructions	: Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.			
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.			
SECTION 6: Accidental release measure	ires			
6.1. Personal precautions, protective equi	pment and emergency procedures			
General measures	: Remove ignition sources. Use special care to avoid static electric charges.			
6.1.1. For non-emergency personnel				
· · · · · · · · · · · · · · · · · · ·	Evacuate unnecessary personnel.			
6.1.2. For emergency responders	: Equip cleanup crew with proper protection.			
6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a	sutherities if liquid enters source or public vectors			
, , ,				
6.3. Methods and material for containmen				
Methods for cleaning up	Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.			
6.4. Reference to other sections				
See Heading 8. Exposure controls and personal p	rotection.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Ŭ	: Keep away from heat, open flames, sparks No smoking.			
-	Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in			
	process area to prevent accumulation of vapors. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only non-sparking tools.			
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.			
7.2. Conditions for safe storage, including	any incompatibilities			
Technical measures	Proper grounding procedures to avoid static electricity should be followed.			
Storage conditions	Keep container tightly closed.			
Incompatible materials	: Alkalis. Oxidizing agent. Metals.			

3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE

Safety Data Sheet

Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/p	personal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should b available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is
	recommended. NIOSH-certified organic vapor (black cartridge) respirator.
SECTION 9: Physical and chemi	cal properties
9.1. Information on basic physical a	
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 270.55 g/mol
Color	: No data available
Odor	: Odorless.
Odor threshold	: No data available
Refractive index	: <mark>1.447</mark> 1
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: <0°C
Boiling point	: 88 °C @ 6 mm Hg
Flash point	: > 65 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapor pressure	: 2 mm Hg @ 25°C
Relative vapor density at 20 °C	: >1
Relative density	: 1.023
VOC content	: 100 %
Solubility	: Insoluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

No additional information available

SECTION 10:	Stability and	l reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE Safety Data Sheet

40.0 Describility of hereits in the	
10.3. Possibility of hazardous reactions	regen when expendents alkalia and protia materials such as water and aleshed in some institution with
metal salts such as aluminum chloride or preciou	rogen when exposed to alkalis and protic materials such as water and alcohol in combination with us metals such as platinum.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Alkalis. Oxidizing agent. Metal salts. Precious m	etals.
10.6. Hazardous decomposition products	3
Hydrogen. Carbon monoxide. Formaldehyde. Or	ganic acid vapors. Silicon dioxide.
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: No information available.
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects Other adverse effects	This substance may be bazardeus to the environment
Other adverse effects Effect on ozone laver	 This substance may be hazardous to the environment. No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
DOT NA no.	NA1993
	······
14.2. UN proper shipping name Proper Shipping Name (DOT)	: COMBUSTIBLE LIQUID, N.O.S.
	(3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE)
	(o + n = i + 1, i, o, o, o + = i + n i i = i + i + i = i + i + i = i + i + i

3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE Safety Data Sheet

Department of Transportation Classes	n (DOT) Hazard : 3 -	Class 3 - Flammable and comb	ustible liquid 49 CFR 173.120		
		Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN uiring a technical name			
Packing group (DOT)					
	DOT Packaging Exceptions (49 CFR 173.xxx) : 150		C C		
DOT Packaging Non Bulk (4		3			
DOT Packaging Bulk (49 CF		1			
14.3. Additional informat	ion				
Other information	: No	supplementary information ava	lable.		
Transport by sea					
DOT Vessel Stowage Locati		The material may be stowed "on deck" or "under deck" on a cargo vessel and on a senger vessel.			
Air transport					
DOT Quantity Limitations Pa (49 CFR 173.27)	ssenger aircraft/rail : 60	L			
DOT Quantity Limitations Ca CFR 175.75)	DOT Quantity Limitations Cargo aircraft only (49 : 220 L				
SECTION 15: Regulat	ory information				
15.1. US Federal regulation	IS				
3-PHENYL-1,1,3,5,5-PEN1	FAMETHYLTRISILOXANE	(17962-34-4)			
TSCA Exemption/Exclusion		UTION: This material is supplied for research and development purposes subject to the			
	R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR				
	720	0.3(ee). The use of this materia not permitted in the United State	for "commercial purposes" as c	defined by 40 CFR 720.3(r)	
1,1,3,5,5-Pentamethyl-3-p	henyltrisiloxane (17962-3	34-4)			
Not listed on the United Sta	ates TSCA (Toxic Substanc	ces Control Act) inventory			
15.2. International regulation	ons				
1,1,3,5,5-Pentamethyl-3-p	henyltrisiloxane (17962-3	34-4)			
Listed on the AICS (Austra Listed on the EEC inventor Listed on the Japanese EN	y EINECS (European Inver	ntory of Existing Commercial Ch	emical Substances)		
15.3. US State regulations					
3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE(17962-34-4)					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
1,1,3,5,5-Pentamethyl-3-ph	enyltrisiloxane (17962-34	-4)			
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level	
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)	
No	No	No	No		

3-PHENYL-1,1,3,5,5-PENTAMETHYLTRISILOXANE

Safety Data Sheet

SECTION 16: Other information	on la
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.
Full text of H-phrases::	
Flom Lig 4	Elammable liquide Category 4

Flam. Liq. 4	Flammable liquids Category 4
H227	Combustible liquid

HMIS III Rating

Health Flammability Physical : 2 Moderate Hazard - Temporary or minor injury may occur

nability

- : 2 Moderate Hazard : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 01/08/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067