

Safety Data Sheet SIT8620.0 Date of issue: 01/13/2015 Version: 1.0

1.1. Product identifier			
Product form	: Substance		
Physical state	: Liquid		
Substance name	: TRIMETHYLSILYL TRIFLUOROMETHANESULFONATE		
Product code	: SIT8620.0		
Formula	: C4H9F3O3SSi		
Synonyms	: TRIMETHYLSILYLTRIFLATE		
Chemical family	: ORGANOSILANE		
1.2. Relevant identified uses of the	substance or mixture and uses advised against		
Use of the substance/mixture	: Chemical intermediate For research and industrial use only		
1.3. Details of the supplier of the sa	afety data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): info@gelest.com - www.gelest.com	8:00 AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)		
SECTION 2: Hazards identification	on		
2.1. Classification of the substance			
Classification (GHS-US)			
Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS02 GHS05		
Hazard pictograms (GHS-US) Signal word (GHS-US)	: GHS02 CHS05 : Danger		

Safety Data Sheet

	P403+P235 - Keep in a cool place P405 - Store locked up			
	P501 - Dispose of contents/container to license	ed waste dispo	osal facility.	
2.3. Other hazards				
Other hazards not contributing to the classification	: Material will generate trifluoromethanesulfonic mucous membranes.	acid on conta	ct with moisture on skin eyes or	
2.4. Unknown acute toxicity (GHS-US)				
No data available				
SECTION 3: Composition/information	on on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
Name	: TRIMETHYLSILYL TRIFLUOROMETHANESU	ILFONATE		
CAS No	: 27607-77-8	27607-77-8		
EC no	: 248-565-4			
Name	Product identifier	%	Classification (GHS-US)	
Trimethylsilyl trifluoromethanesulfonate	(CAS No) 27607-77-8	> 97	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: Remove contaminated clothing and shoes. In c medical advice immediately (show the label wh available show packaging or label.			
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a unwell, seek medical advice.	a position com	fortable for breathing. If you feel	
First-aid measures after skin contact	: Wash with plenty of soap and water. Get imme	diate medical	advice/attention.	
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid measures after ingestion	easures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.			
4.2. Most important symptoms and effe	cts, both acute and delayed			
Symptoms/injuries	: Causes severe skin burns and eye damage.			
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Over Nausea.	erexposure m	ay cause: Coughing. Headache.	
Symptoms/injuries after skin contact	: Causes (severe) skin burns.			
Symptoms/injuries after eye contact	: Causes serious eye damage.			
Symptoms/injuries after ingestion	: May be harmful if swallowed.			
4.3. Indication of any immediate medic No additional information available	al attention and special treatment needed			
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chem	ical.		
5.2. Special hazards arising from the s				
Fire hazard	: Flammable liquid and vapor. Irritating fumes of vapors may develop when material is exposed			
5.3. Advice for firefighters				
Firefighting instructions Protection during firefighting	 Use water spray to cool exposed surfaces. Exe Do not enter fire area without proper protective Avoid all eye and skin contact and do not breat 	equipment, ir	ncluding respiratory protection.	
SECTION 6: Accidental release mea	isures			
6.1. Personal precautions, protective e	quipment and emergency procedures			
General measures	: Remove ignition sources. Use special care to a	avoid static ele	ectric charges.	
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.			

Safety Data Sheet

6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew with proper protection.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. No	tify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for contain	ment and cleaning up		
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.		
6.4. Reference to other sections			
See Heading 8. Exposure controls and person	al protection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Take precautionary measures against static discharge. Containers and transfer lines require grounding during use. Provide good ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.		
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands thoroughly after handling.		
7.2. Conditions for safe storage, inclu	ding any incompatibilities		
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.		
Storage conditions	: Keep container tightly closed.		
Incompatible materials	: Acids. Alcohols. Oxidizing agent. Moisture. Water.		
Storage area	: Store in a well-ventilated place. Store away from heat.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/per	rsonal protection		
8.1. Control parameters			
Trimethylsilyl trifluoromethanesulfonate (27607-77-8)		
USA ACGIH ACGIH TWA	(ppm) < 3 ppm (Gelest Recommendation)		
8.2. Exposure controls			
Appropriate engineering controls	: Provide local exhaust or general room ventilation.		
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
Hand protection	: Neoprene or nitrile rubber gloves.		
Eye protection	: Chemical goggles or face shield. Contact lenses should not be worn.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.		
SECTION 9: Physical and chemica	I properties		
9.1. Information on basic physical and	chemical properties		

Decomposition temperature	: No data available	
Auto-ignition temperature	: 405 °C	
Flash point	: 40 °C	
Boiling point	: 140 - 141 °C	
Freezing point	: < 0 °C	
Melting point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
рН	: No data available	
Refractive index	: 1.36	
Odor threshold	: No data available	
Odor	: Acrid.	
Color	: Straw.	
Molecular mass	: 222.25 g/mol	
Appearance	: Clear liquid.	
Physical state	: Liquid	
9.1. Information on basic physical an	ia chemical properties	

Safety Data Sheet

Flammability (solid, gas)	: Flammable liquid and vapor
Vapor pressure	: 14 mm Hg @ 25°C
Relative vapor density at 20 °C	: >1
Relative density	: 1.225
VOC content	: 100 %
Solubility	: Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers stored under a dry in	iert atmosphere.
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating	trifluoromethanesulfonic acid.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Acids. Alcohols. Oxidizing agent, Moisture. Wate	ar
10.6. Hazardous decomposition products	
Hydrogen fluoride. Organic acid vapors. Trifluoro	
SECTION 11: Toxicological informat	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
SECTION 12: Ecological information	

12.1.	Toxicity				
No additio	onal information available				
12.2.	Persistence and degradability				
No additio	No additional information available				
12.3.	Bioaccumulative potential				
No additio	onal information available				

Safety Data Sheet

12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects	This and stands may be been done to the service served	
Other adverse effects	: This substance may be hazardous to the environment.	
Effect on ozone layer	:	
Effect on the global warming	: No known ecological damage caused by this product.	
SECTION 13: Disposal consideratio	ns	
13.1. Waste treatment methods		
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations.	
	Dispose of contents/container to licensed waste disposal facility.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport information		
14.1. UN number		
UN-No.(DOT)	: 2920	
DOT NA no.	UN2920	
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	: Corrosive liquids, flammable, n.o.s.	
	(TRIMETHYLSILYL TRIFLUOROMETHANESULFONATE)	
Department of Transportation (DOT) Hazard	: 8 - Class 8 - Corrosive material 49 CFR 173.136	
Classes		
Hazard labels (DOT)	: 8 - Corrosive 3 - Flammable liquid	
	8 3	
DOT Symbols	: G - Identifies PSN requiring a technical name	
Packing group (DOT)	: II - Medium Danger	
DOT Packaging Exceptions (49 CFR 173.xxx)	: None	
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202	
DOT Packaging Bulk (49 CFR 173.xxx)	: 243	
14.3. Additional information		
Emergency Response Guide (ERG) Number	: 29	
Other information	: No supplementary information available.	
Transport by sea		
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.	
DOT Vessel Stowage Other	: 25 - Shade from radiant heat,40 - Stow "clear of living quarters"	
Air transport		
DOT Quantity Limitations Passenger aircraft/rai	I : 1L	
(49 CFR 173.27)		
DOT Quantity Limitations Cargo aircraft only (4) CFR 175.75)	9 : 30 L	
UIN 173.73)		
SECTION 15: Regulatory informatio	n	
15.1. US Federal regulations		
Trimethylsilyl trifluoromethanesulfonate (2	7607-77-8)	
Listed on the United States TSCA (Toxic Subs		
15.2. International regulations		

15.2. International regulations

Safety Data Sheet

Trimethylsilyl trifluorom	Trimethylsilyl trifluoromethanesulfonate (27607-77-8)				
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Canadian NDSL (Non-Domestic Substances List) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)					
15.3. US State regulations					
TRIMETHYLSILYL TRIFLUOROMETHANESULFONATE(27607-77-8)					
U.S California - Propositio	on 65 - Carcinogens List	No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
Trimethylsilyl trifluoromethanesulfonate (27607-77-8)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)	
No	No No No				

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H226	Flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

HMIS III Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability Physical : 2 Moderate Hazard

: 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 01/13/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

Safety Data Sheet

© 2014 Gelest Inc. Morrisville, PA 19067

